

Retracement and Resurvey of W. Bdy. of T. 28 S., R. 1 W.

CHAINS	
	Thence, N.0*26'E.
	Ascend gradually.
2.50	Low spur, slopes E.; descend 50 ft. to
11.14	Tributary, of Dumore Creek, 9 lks. wide, course E.; ascend 600 ft. over SE slope.
36.02	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 24 only, with brass cap marked
	$\frac{1}{4}$ S24
	1923
	from which
	A fir, 16 ins. diam., bears S.40*W., 46 lks. dist., marked $\frac{1}{4}$ S 24 B T.
	A fir, 22 ins. diam., bears N.81*W., 74 lks. dist., marked $\frac{1}{4}$ S 24 B T.
39.98	The cor. established for secs. 19, 24, 25 and 30, which is a basalt stone, 10x5x5 ins. above ground, firmly set, marked with 2 notches on S and 4 notches on N edge. Hereafter, this cor. will refer to secs. 19 and 30 only; I mark the cor. stone, S 19 on NE and S 30 on SE face, from which
	A chinquapin, 12 ins. diam., bears N.40*E., 31 lks, dist.; old bearing tree, now dead.
	A fir, 36 ins. diam., bears N.52*E., 85 lks. dist., marked T 28 S R 1 W S 19 B T; new bearing tree.
	A chinquapin, 12 ins. diam., bears S.53*E., 33 lks. dist., marked T 28 S R 1 W S 30 B T; old B T.
	A fir, 18 ins. diam., bears S.72*W., 53 lks. dist., I obliterate the marks on this old bearing tree.
	A cedar, 14 ins. diam., bears N.45*W., 40 lks. dist., I obliterate the marks on this old bearing tree.
	Land, mountainous.
	Soil, clay loam and rocky; 2d, 3d and 4th rate.
	Timber, fir, hemlock, pine and cedar.