

Subdivision of T. 28 S., R. 2 W.

CHAINS	
	A hemlock, 26 ins. diam., bears S.71*E., 69 lks. dist., marked $\frac{1}{4}$ S 13 B.T.
	Ascend 80 feet to
52.30	Spur, slopes NW.; descend 120 feet.
62.65	Brook, 3 lks. wide, course NW.
66.00	Low spur, slopes NW.; descend 100 feet, over NW slope to
81.40	The cor. of secs. 11, 12, 13 and 14.
	Land, mountainous.
	Soil, clay loam; 2d and 3d rate.
	Timber, fir, hemlock, cedar and pine.
	Undergrowth, rhododendron, chinquapin, vine maple and hemlock.
<hr/>	
	N.89*45'W., on a random line, bet. secs. 11 and 14.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
77.22	Intersect N and S line, at the cor. of secs. 11 and 14.
	Thence, S.89*45'E., on a true line, bet. secs. 11 and 14.
	Over mountainous land, through heavy timber and dense undergrowth.
	Ascend 160 feet to spur.
7.52	Brook, 3 lks. wide, course N.
16.20	Spur, slopes NW.; descend 40 feet to
18.00	Draw, opens N.; ascend 60 feet to
21.60	Spur, slopes NW.; descend 40 feet to
24.64	Creek, 11 lks. wide, course NW.; ascend 100 feet to
37.22	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked
	S 11
	$\frac{1}{4}$ _____
	S 14
	1923
	from which
	A yew, 5 ins. diam., bears N.15*E., 11 lks.