

Subdivision of T. 28 S., R. 2 W.

CHAINS

Ascend 510 feet, over SW slope to
 65.10 Spur, slopes NW.; descend 175 feet over NE slope.
 70.00 Draw, opens NW.; ascend 25 feet to
 71.90 Spur, slopes NW.; descend 65 feet to sec. cor.
 78.26 Creek, 5 lks. wide, course NW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in
 the ground, for cor. of secs. 1, 2, 11 and 12, with
 brass cap marked

T28S	R2W
S 2	S 1
S11	S12
1923	

from which

- A cedar, 7 ins. diam., bears N.38*E., 7 lks.
 dist., marked T 28 S R 2 W S 1 B T.
- A cedar, 10 ins. diam., bears S.66*E., 48 lks.
 dist., marked T 28 S R 2 W S 12 B T.
- A hemlock, 6 ins. diam., bears S.46*W., 28 lks.
 dist., marked T 28 S R 2 W S 11 B T.
- A hemlock, 24 ins. diam., bears N.58*W., 40 lks.
 dist., marked T 28 S R 2 W S 2 B T.

Land, mountainous.

Soil, clay loam; 2d and 3d rate.

Timber, fir, cedar, hemlock and pine.

Undergrowth, rhododendron, chinquapin, vine maple and
 hemlock.

S.89*55'E., on a random line, bet. secs. 1 and 12.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 81.77 Intersect E. bdy. of Tp., 7 lks. N of the cor. of secs.
 1 and 12.
 Thence, N.89*52'W., on a true line, bet. secs. 1 and 12.
 Over mountainous land, through heavy timber and dense
 undergrowth.