

Exteriors of T.28 S., R.4W.

CHAINS

Land chiefly mountainous- 3rd. rate.

Highly timbered, Fir, Cedar and Hemlock, principally.

March 15th., 1881.

Running N. on E. Bdy., of Sec. 1 Va. 18*45' E.

15.80 Stream, 4 lks. wide, Course N. W.

31.00 Top of Ridge, Course W.

40.00 Set post for $\frac{1}{4}$ Sec., Cor., from which:

A Laurel Tree 12 ins. diam., bears N.50*E., 25 lks dist.

A Fir tree 30 ins. diam., bears N.40*W., 20 lks dist.

60.80 Stream, 10 lks. wide, Course W.

81.96 Intersect old corner 76 lks. W. Set post for cor. of
T.28 S. Rs. 3 and 4 W. from which:

A Fir tree 40 ins. diam., bears S.65*W., 24 lks dist.

A Fir tree 60 ins. diam., bears S.80*E., 30 lks dist.

Land chiefly mountainous- 3rd. rate.

Heavily timbered, Fir, Cedar and Hemlock, principally.

March 16, 1881.

*Note: Omission of
Gen. Description*Subdivisions of T. 28 S. R. 3 W.,
As Surveyed by Sam'l. C. Flint, Deputy Surveyor,
Under contract No. 459, dated August 3, 1882.

I commenced at the corner to secs., 18,19,13 and 24.

T.28 S. Rs 2 and 3 W. which is a cedar post 4 ft. long

4 ins. square, firmly set in the ground, and marked,

T 28S S18 on N.E., R 2W S 19 on S. E., R 3WS 24 on S.W.

S 13 on N.W. faces with 3 notches on N. and S. edges

from which:

A Hemlock 20 ins. diam., bears N55*E., 56 lks dist.

marked T 28S R 2 W S 18 B.T.

A Hemlock 14 ins., diam., bears S.20*E., 5 lks dist.

marked T 28S R 2 W S 19 B. T.

A Hemlock 24 ins., diam., bears S.24*W., 15 lks dist.

marked T 28S R 3 W S 24 B. T.