

Subdivisions of T.28 S R 3 W.

CHAINS

C C T 28 S R 3 W on N., S 31 on W., and S 32 on E. face, with 5 grooves on E. and 1 groove on W. face, from which:

A fir, 15 ins. diam., bears N.9*E., 64 lks. dist.
marked T 28 S R 3 W S 32 B T.

A fir, 10 ins. diam., bears N.32*W., 80 lks. dist.
marked T 28 S R 3 W S 31 B. T.

Land, mountainous.

Soil, rocky- 4th rate.

Timber, cedar, fir, hemlock and matherone.

Underbrush, rhododendrons, young firs, vine maple and greasewood.

Land mountainous, covered with dense underbrush and heavily timbered and exceptionally difficult to survey.

- At Cor Secs. 28, 29, 32 and 33.
- Thence I run
- North 3' W. on true line bet. secs. 28 and 29, through heavy timber.
- Ascend South slope.
- 10.20 Top of ridge, bears NE. and SW., descend NW slope.
- 28.50 Creek, 5 lks. wide, flows SW.
- 33.20 Same creek, 5 lks. wide, flows S.10*E., ascend W. slope.
- 40.00 Set granite stone, 6x8x14 ins., 10 ins. in the ground for 1/4 sec. cor., marked 1/4 on W. face, from which:
- A cedar, 14 ins. diam., bears N.45*W., 2 lks dist.
marked 1/4 S 29 B T.
- A fir, 6 ins. diam., bears N.37*E., 34 lks. dist.
marked 1/4 S 28 B T.
- 49.00 Creek, 2 lks. wide, flows S.5*W., ascend SE. slope.
- 62.60 Top of ridge, bears S.70*W., and N.70*E., descend W. slope.
- 80.00 Set granite stone, 6 x 10 x 15 ins., 10 ins. in the ground for cor. secs., 20,21,28 and 29, marked