

## County Surveyor's Record, Douglas County, Oregon

## Subdivisions of T. 28 S., R. 4 W.

CHAINS

Tested my instrument as per instructions.

North, bet. secs. 33 &amp; 34

Va. 18\* E.

1.00 Creek, 25 lks. wide, C., W.

2.00 Enter Field

5.50 Mill Race, C., W., Saw Mill E. of line, 200 chs.

10.50 Road C., NW

11.00 Creek, 75 lks. wide, C., SW

39.00 Slough, 50 lks. wide C., E.

40.00 Set Fir Post for  $\frac{1}{4}$  sec. cor. from which:

Maple, 24 ins. diam., bears E., 45 lks.

Maple, 24 ins. diam., bears N.58\*W., 83 lks.

45.50 Creek, 100 lks. wide, C., SE. leave field

59.25 Creek, 3 lks. wide, C., W.

80.00 Set post for cor. to secs. 27, 28 33 &amp; 34 from which:

Fir, 30 ins. diam., bears N.12\*E., 85 lks.

White Oak, 10 ins. diam., bears S.15\*E., 104 lks.

Fir, 10 ins. diam., bears S.50\*W., 65 lks.

Fir, 24 ins. diam., bears N.70\*W., 58 lks.

Land, level, 1st. rate

Timber, scattering Fir

East, on Random line bet. secs. 27 &amp; 34

Va. 19\* E.

40.00 Set Temp.  $\frac{1}{4}$  sec. cor.

79.92 Intersect N &amp; S line, 12 lks. S. of cor.

S.89\*55\*W., on true line bet. secs. 27 &amp; 34

39.98 Set Fir Post for  $\frac{1}{4}$  sec. cor. from which:

Fir, 24 ins. diam., bears N.50\*E., 16 lks.

Laurel, 14 ins. diam., bears S.50\*W., 42 lks.

79.92 To Sec. Cor.

Land Mountainous, 3rd. rate

North, bet. secs. 27 &amp; 28

Va. 19\* E.