

Subdivisions of T. 28 S., R. 6 W.

CHAINS

A Y. Oak, 10 ins. diam., bears S.46\*E., 277 lks.  
dist.

A Y. Oak, 8 ins. diam., bears S.82<sup>1</sup>/<sub>2</sub>\*W., 57 lks.  
dist.

Va. 18\*20'E

47.50 Top of spur, NE. and SW.

+150

68.35 A Y. Oak, 18 ins. diam. Begin to descend.

Lev.

80.00 Set post cor. to secs. 8, 9, 16 and 17, from which

-200

A Y. Oak, 10 ins. diam., bears N.40\*E., 17 lks.  
dist.

A Y. Oak, 14 ins. diam., bears S.35\*E., 37 lks.  
dist.

A W. Oak, 8 ins. diam., bears S.39\*W., 42 lks.  
dist.

A W. Oak, 10 ins. diam., bears N.87\*W., 55 lks.  
dist.

Land all hilly Oak openings.

Soil, 2nd and 3rd rate.

---

East on random between secs. 9 and 16.

Va. 17\*50'E

50.67 Intersect left bank Umpqua river and set temp. meander  
base  
post. Thence South 246 lks. and set flag. Thence over  
river into line. Thence flag on left bank bears  
S.62\*W., distance 462 lks.

55.29 Set temp. meander post on right bank.

80.30 Intersect N. and S. line 14 lks. South of post.  
S.89\*54'W., on true line between secs. 9 and 16.

22.50 Leave prairie and enter brushy bottom.

24.71 Set meander post on right bank of Umpqua, whence  
A Willow, 5 ins. diam., bears S.36\*E., 10 lks.  
dist.  
An Ash, 14 ins. diam., bears N.14\*E., 95 lks.  
dist.