

County Surveyor's Record, Douglas County, Oregon

Subdivisions of T. 28 S., R. 8 W.

CHAINS		
	Land, uneven; Timber, Fir, Oak, Cedar and Laurel. Soil, second and third rate. Undergrowth, Oak.	
	East, on random, between Secs. 26 and 35.	
40.00	Set temporary $\frac{1}{4}$ Sec. post.	
80.40	Intersect North and South line, 35 lks. South of cor.	
	S.89*45'W. on true line, between Secs. 26 and 35.	
12.00	Summit of ridge, course North and South.	+150
18.00	Dry gulch, course South.	-100
24.75	Summit of rocky ridge, course North and South,	+150
40.20	Set $\frac{1}{4}$ Sec. post, from which A Fir, 40 ins. diam., bears N.79*W., 17 lks. dist. A Cedar, 18 ins. diam., bears S.74*E., 30 lks. dist.	-100
55.00	Summit of ridge, course NW. and SE.	+300
68.00	Enter Fir timber, course North and South	-100
80.40	To cor. A portion of this line, very rough and rocky; timber and soil as last noted.	
	North, between Secs. 26 and 27, Va.19 $\frac{1}{2}$ *E.	
24.25	Branch, 6 lks. wide, course West.	+75
40.00	Set $\frac{1}{4}$ Sec. post, from which An Oak, 10 ins. diam., bears N.30*W., 50 lks. dist. An Oak, 12 ins. diam., bears S.66*E., 129 lks. dist.	+100
44.50	Enter Oak openings, course NE. and West.	-40
53.00	Leave same and enter Fir timber	+150
80.00	Set post, cor. Secs. 22, 23, 26 and 27, from which A Fir, 18 ins. diam., bears N.78*E., 29 lks. dist. A Fir, 15 ins. diam., bears S.72*E., 49 lks. dist. A Fir, 6 ins. diam., bears N.70*W., 38 lks. dist. A Fir, 24 ins. diam., bears S.5*W., 62 lks. dist.	-20