

15

Resurvey of S. Bdy. T. 27 S., R. 7 W.
(Hathorn Survey)

CHAINS

The original SE. bearing tree, a laurel, 30 ins. diam., bears S.41°E., 16 lks. dist.

The original position of the SW. bearing tree, indicated by stump hole, bears S.9°W., 114 lks. dist.

Thence

West, on S. bdy. of sec. 33.

7.43 Intersect the cor. of secs. 32 and 33, located by record measurement from the original bearing trees. The NE. tree is now a dead stub on which the scribe marks are legible. The NW. tree in place and shows evidence of the blazes.

At the exact cor. point

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 32 and 33, with brass cap marked

T27S:R7W
S32:S33 AP5

1924

from which

(New bearing tree) A fir, 16 ins. diam., bears N.66°E., 28 lks. dist., marked T 27 S R 7 W S 33 B T.

(Old bearing tree) A laurel, 36 ins. diam., bears N.65°W., 40 lks. dist., marked T 27 S R 7 W S 32 B T.

The original NE. bearing tree, an oak stub 12 ins. diam., bears N.81°E., 118 lks. dist.

The cor. established by Ford for cor. of secs. 32 and 33 re-established as angle point, hereafter described, bears N.36°25'E., 4.21 chs. dist.

Land, rolling mountains.

Soil, clay loam, 2nd rate.

Timber, fir, oak, pine, and laurel.

Undergrowth, vinemaple, hazel, laurel, oak, and fir.