

CHAINS

from which

A black oak, 24 ins. diam., bears N.31\*E., 180 lks. dist., marked 1/2 S 28 B T ( Original B.T.)

A white oak. 10 ins. diam., bears S.17\*E., 14 lks. dist., marked 1/2 S 33 B T (New B.T.)

Original bearing tree, a dead oak, 15 ins. diam., bears S.87\*E., 195 lks. dist.

Thence from the 1/4 sec. cor.

S.89\*58'W., bet. secs. 28 and 33.

9.47 Dry ravine, course N.70\*W.

26.90 Ravine, water in pools on bedrock, dries up later, course NW.

39.93 Intersect the cor. of secs. 28, 29, 32, and 33, located by record bearing and distance from the original NW. bearing tree, now dead, old blazes plain, but marks rotted away.

At the exact cor. point

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 28, 29, 32, and 33, with brass cap marked

T27S	R7W
S29	S28
S32	S33
AP 3	
1924	

from which (new bearing trees)

A fir, 10 ins. diam., bears N.12\*E., 15 lks. dist., marked T 27 S R 7 W S 28 B T.

A fir, 10 ins. diam., bears S.38\*E., 16 lks. dist., marked T 27 S R 7 W S 33 B T.

A fir, 14 ins. diam., bears S. 56\*W., 16 lks. dist., marked T 27 S R 7 W S 32 B T.

A fir, 14 ins. diam., bears N.56\*W., 41 lks. dist., marked T 27 S R 7 W S 29 B T.

Original bearing tree, a dead oak, 12 ins. diam., bears N.35\*W., 69 lks. dist.

Stump hole of original bearing tree, rotted or burned out, bears N.48\*E., 93 lks. dist.