

CHAINS

ground; from which

A black oak, 16 ins. diam., bears S.45 $\frac{1}{2}$ \*W., 94 lks. dist., marked C S S 1/16 S 31 B T.

Thence from the S. 1/16 sec. cor.

N.3\*46'E., bet. secs. 31 and 32.

Descend over N. slope, 175 ft. along old fence.

18.42 Intersect the point for  $\frac{1}{4}$  sec. cor., located by record bearing and distance from the original SW. bearing tree, on which the marks are plain. The NE. bearing tree was not found.

At the exact cor. point

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap marked

S31 | S32  
1924

from which

Original bearing tree, a white oak, 26 ins. diam., bears S.18\*W., 200 lks. dist.

A white oak, 16 ins. diam., bears S.66\*W., 48 lks. dist., marked  $\frac{1}{4}$  S 31 B T (New B.T.)

No trees in sec. 32.

Thence from the  $\frac{1}{4}$  sec. cor.,

N.0\*10'E., bet. secs. 31 and 32.

Over nearly level land.

1.00 Enter grain field, bears NE. and SW.

2.80 Fence, bears E. and W.

7.50 Leave grain field; enter garden and orchard, bears E. and W.

11.25 Leave orchard; enter dense undergrowth, bears E. and W.

11.60 Old rail fence, bears E. and W.

12.37 Ten Mile Creek, 43 lks. wide, course E.

13.60 Leave undergrowth; enter field, bears E. and W.

17.27 Woven wire fence, bears N.60\*E. and S.60\*W.

17.77 Coos Bay Highway, bears N.60\*E. and S.60\*W.

18.26 Woven wire fence, bears N.60\*E. and S.60\*W.

26.84 Old rail fence, bears E. and W.