

County Surveyor's Record, Douglas County, Oregon

5927

Resurvey of W. Bdy. T. 28 S., R. 7 W.
(Ford Survey)

CHAINS

Original SW. bearing tree, a laurel, 12 ins. diam., dead, bears S.73*W., 10 lks, dist. (Not S.30*W., 13 lks.), plainly marked.

Original NW. bearing tree, a fir, 18 ins, diam., bears N.72*W., 12 lks. dist. (not N.35*W., 16 lks.), marks are plain and overgrowth shows this tree to have been marked about 70 years.

On the old SE. tree the blazes are plain, the marks are grown over and were not opened.

Land, rolling.

Soil, clay loam, 2nd rate.

Timber, fir, oak, pine, and laurel.

Undergrowth, oak, fir, and hazel.

S.2*03'W., along the W. bdy. of sec. 7.

Over rolling land, through heavy timber and dense undergrowth.

Ascend N. slope, 35 ft.

2.65 Top of ridge, bears E. and W.; descend SE. slope, 127 ft.

11.04 Intersect the cor. of secs. 6 and 7, T. 28 S., R. 7 $\frac{1}{2}$ W., hereafter described.

17.10 Creek, 4 lks. wide, course NE.; ascend NW. slope, 320 ft.

38.44 Intersect the point for $\frac{1}{4}$ sec. cor., established by Ford, located by record bearing and distance from the NE. bearing tree, which has been cut down, marks still legible on the stump. NW. tree is rotted away.

At the exact cor. point

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 7 only, with brass cap marked

$\frac{1}{4}$ S7
1924

from which

A cedar, 7 ins. diam., bears N.19*E., 42 lks. dist., marked $\frac{1}{4}$ S 7 B T.

A cedar, 14 ins. diam., bears S.73*E., 52 lks. dist.,