

Subdivisions, T. 29 S., R. 7 W.

CHAINS

and SW.; ascend SE. slope, 206 ft.

76.35 Draw, course SE.; ascend SW. slope.

79.86 Intersect the point for cor. of secs. 14, 15, 22, and 23, located by measurement from the original bearing trees, on which the blazes and marks are plain.

At the exact cor. point

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 14, 15, 22, and 23, with brass cap marked

T29S	R7W
S15	S14
S22	S23
1924	

from which (the original bearing trees)

A laurel, 40 ins. diam., bears N.70\*E., 28 lks. dist.,  
(not N.80\*E.)A laurel, 30 ins. diam., bears S.42\*E., 17 lks. dist.,  
(not S.35\*E.)A laurel stump, bears S.80\*W., 70 lks. dist., (not  
S.86\*W.)A laurel, 20 ins. diam., bears N.64\*W., 50 lks. dist.,  
(not N.55\*W.)

New bearing trees:

A black oak, 12 ins. diam., bears N.60\*E., 37 lks.  
dist., marked T 29 S R 7 W S 14 B T.A fir, 12 ins. diam., bears S.12\*E., 31 lks. dist.,  
marked T 29 S R 7 W S 23 B T.A fir, 18 ins. diam., bears S.11\*W., 26 lks. dist.,  
marked T 29 S R 7 W S 22 B T.A pine, 30 ins. diam., bears N.7\*W., 53 lks. dist.,  
marked T 29 S R 7 W S 15 B T.

Land, mountainous and rolling.

Soil, clay loam, 2nd rate.

Timber, fir, laurel, oak, pine, and cedar.

Undergrowth, pineapple, hazel fir, and laurel.

East, bet, secs. 14 and 23.