

East Bdy. T. 29 S., R. 8 W.
(Hathorn Survey)

CHAINS 39.59	The $\frac{1}{4}$ sec. cor. of secs. 31 and 36 bears East, 39 lks. dist.
49.73	Offset West 510 lks. (record tie applied to last cor.). From this point the cor. of Tps. 29 and 30 S., Rs. 7 and 8 W., established by Ford, bears South, 39 lks. and West, 18 lks. dist.
79.55	Fall 11 lks. West of the Hathorn cor. of Tps. 29 and 30 S., Rs. 7 and 8 W.

	From the cor. of Tps. 28 and 29 S., R. 8 W., heretofore described.
	South, resurveying along the E. bdy. of sec. 1.
	Descend over open SE. slope, 62 ft.
4.17	Intersect the line bet. Tracts Nos. 47 and 48, 1.67 chs. S.89°19'E. from cor. No. 3 of Tract No. 47, identical with Cor. No. 2 of Tract No. 48, heretofore described.
6.00	Small draw, course SE.; ascend 31 ft.
10.10	Old fence, bears E. and W.
13.85	Top of ascent; descend gradually, 47 ft.
16.95	Wire fence, bears E. and W.
25.81	Woven wire fence, bears E. and W.; enter dense undergrowth.
25.82	Intersect the N. bdy. of the H.O.Waters D.L.C. No. 43, N.89°48'W., 18.94 chs. from the NE. cor. thereof, heretofore described, identical with center latitudinal subdivision line of original sec. 6, S.89°48'E., 1.88 chs. from the original $\frac{1}{4}$ sec. cor., heretofore described.
	At the point of intersection
	Set a basalt stone, 20x12x12 ins., 15 ins. in the ground, for resurvey $\frac{1}{4}$ sec. cor. of sec. 6 only, T.29 S., R. 7 W., marked $\frac{1}{4}$ on E. face; from which
	A white oak, 30 ins. diam., bears N.26°E., 190 lks. dist., marked $\frac{1}{4}$ S 6 B T.
	A white oak, 8 ins. diam., bears S.17 $\frac{1}{2}$ °E., 84 lks. dist., marked $\frac{1}{4}$ S 6 B T.
27.45	Shields Creek, 20 lks. wide, course NE.; ascend gradually 18 ft.
30.45	Old fence bears E. and W.; enter grain field.
35.65	Wire fence, bears NE. and SW.