

East Bdy. T. 29 S., R. 8 W.  
(Hathorn Survey)

CHAINS

A white oak, 44 ins. diam., bears N.12 $\frac{1}{4}$ \*E., 247 lks. dist., marked T 29 S R 7 W S 6 B T.

A white oak, 10 ins. diam., bears S.68\*E., 115 lks. dist., marked T 29 S R 7 W S 7 B T.

66.26 Intersect the S. bdy. of the H.O. Waters D.L.C. No. 43, West 19.11 chs. from the SE. cor. thereof, heretofore described.

Ascend over NW. slope, 137 ft.

70.00 Enter heavy timber, bears E. and W.

80.00 Intersect the point for the Hathorn cor. of secs. 1, 6, 7, and 12, located by measurement from the original bearing trees, on which the marks are plain.

At the exact cor. point

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 1 and 12, with brass cap marked

T29S:  
S1:  
S12:  
R8W:  
1924

from which (the original bearing trees)

A black oak, 14 ins. diam., bears N.51\*E., 32 lks. dist.

A black oak, 16 ins. diam., bears S.36\*E., 44 lks. dist.

A black oak, 16 ins. diam., bears S.80\*W., 25 lks. dist.

A black oak, 14 ins. diam., bears N.40\*W., 113 lks. dist.

New bearing trees:

A fir, 12 ins. diam., bears S.65\*W., 14 lks. dist., marked T 29 S R 8 W S 12 B T.

A fir, 10 ins. diam., bears N.13\*W., 31 lks. dist., marked T 29 S R 8 W S 1 B T.

Land, rolling and level.

Soil, clay loam, 1st and 2nd rate.

Timber, oak and fir.

Undergrowth, oak, fir, maple, hazel, and laurel.