

Subdivisions T. 29 S., R. 8 W.

CHAINS	
	N.0°13'W., retracing the line bet. secs. 1 and 2; at 40.00 chs. find no trace of the $\frac{1}{4}$ sec. cor., set temp. cor., and at 79.07 chs. fall 18 lks. W. of the cor. of secs. 1, 2, 35, and 36, on the N. bdy. of the Tp. ***-----
	From the cor. of secs. 25 and 36, on the E. bdy. of the Tp.
	N.89°39'W., bet. secs. 25 and 36.
	Over rolling land, through heavy timber and dense undergrowth.
	Ascend NE. slope, 105 ft.
4.70	Top of spur, slopes N.; descend NW. slope, 47 ft.
8.25	Draw, course NE.; ascend E slope, 74 ft.
11.39	Top of spur, slopes NE.; descend over NW. slope, 430 ft.
35.00	Trail, bears NE. and SW.
38.05	Creek, 5 lks. wide, course SW.; ascend.
39.93	Intersect the point for $\frac{1}{4}$ sec. cor., located by measurement and record bearing from the original SE. bearing tree, on the burnt bark of which the blazes are plain.
	At the exact cor. point
	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked
	$\frac{S25}{S36}$ 1924
	from which (original bearing trees)
	A fir, 40 ins. diam., bears S.78°E., 40 lks. dist.
	New bearing trees:
	A fir, 28 ins. diam., bears S.47°E., 86 lks. dist., marked $\frac{1}{4}$ S. 36 B T.
	A fir, 10 ins. diam., bears N.89°W., 81 lks. dist., marked $\frac{1}{4}$ S 25 B T.
	Thence from the $\frac{1}{4}$ sec. cor.
	S.89°12'W., bet. secs. 25 and 36.
	Ascend over SE. slope, 161 ft.
5.40	Top of spur, slopes SW., descend W. slope, 108 ft.
9.05	Draw, course SW.; ascend along S. slope, 34 ft.
12.00	Top of spur, slopes SW.; descend W. slope, 192 ft.
18.75	Draw, course SW.