

County Surveyor's Record, Douglas County, Oregon

6039

South Bdy. T. 29 S., R. 7 W.
(Ford Survey)

CHAINS

Land, mountainous.
Soil, rocky clay loam, 3rd rate.
Timber, fir, laurel, pine, and chinquapin.
Undergrowth, hazel vinemaple, laurel, and fir.

N.89*12'E., along the S. bdy. of sec. 32.
Over rolling land, through heavy timber and dense undergrowth.

Descend along S. slope, 408 ft.

7.64 Intersect the cor. of secs. 31 and 32, T. 29 $\frac{1}{2}$ S., R.7 W. hereafter described.

14.50 Descend SE. slope.

26.85 Trail, bears NE. and SW.

28.84 Olalla Creek, 30 lks. wide, course NE.; ascend NW. slope, 162 ft.

30.25 Road, bears NE. and SW.

37.80 Ditch, 15 lks. wide, 6 ft. deep, course NE.

38.72 Intersect the point for $\frac{1}{4}$ sec. cor., located by measurement from the original bearing trees.

At the exact cor. point

Set an iron post, 3ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 32 only, with brass cap marked

$\frac{1}{4}$ S32

1924

from which (the original bearing trees)

A black oak, 24 ins. diam., bears N.34*W., 25 lks.

dist. (not N.50*W.), marks show on the overgrowth.

A fir stump, bears S.81*W., 75 lks. dist. (not S. 80*W.)

New bearing trees:

A fir, 6 ins. diam., bears N.38*E., 13 lks. dist., marked $\frac{1}{4}$ S 32 B T.

A fir, 8 ins. diam., bears N.14*W., 20 lks. dist., marked $\frac{1}{4}$ S 32 B T.

Thence from the $\frac{1}{4}$ sec. cor.

S.89*25'E., along the S. bdy. of sec. 32.