

County Surveyor's Record, Douglas County, Oregon

6049

North Bdy. T. 30 S., R. 7 W.
(Byars Survey)

X

CHAINS

- 7.15 Top of ascent on S. slope; descend 48 ft. along broken S. slope.
- 12.80 Enter pine opening, bears NW. and SE.
- 30.00 Top of spur, slopes SE.; descend rocky E. slope, 310 ft.
- 33.90 Leave pine opening, bears N. and S.
- 39.81 Intersect the cor. of secs. 5, 6, 31, and 32, which is a basalt stone, 24x16x12 ins., set in a mound of stone, marked with 5 notches on E. and 1 notch on W. edge; from which the original bearing trees:
- A fir, 14 ins. diam., bears N.42*E.(not N.48*E.), 14 lks. dist., marks grown over. I re-mark T. 29 $\frac{1}{2}$ S R 7 W S 32 B T.
- A live oak, 12 ins. diam., bears S.46*E., 12 lks. dist. (not S.70*E.), marks grown over.
- A fir, 22 ins. diam.; bears S.45*W., 76 lks. dist., marks grown over.
- A fir, 46 ins. diam., Bears N.44*W., 56 lks. dist., I re-mark T 29 $\frac{1}{2}$ S R 7 W S 31 B T.
- Land, rolling.
- Soil, clay loam, 2nd rate.
- Timber, fir, oak, pine, chinquapin, and laurel.
- Undergrowth, hazel, vine maple, fir, oak, and laurel.
-
- N.87*28'E., bet. secs. 5 and 32.
- Over mountainous land, through heavy timber and dense undergrowth.
- Descend over SE. slope, 202 ft.
- 6.20 Stream, 4 lks. wide, course N.; ascend NW. slope, 30 ft.
- 8.10 Point of spur, slopes N.; descend NE. slope, 56 ft.
- 9.05 Road, bears NE. and SW.
- 10.75 Olalla Creek, 30 lks. wide, course NE.; ascend over steep SW. slope, along N. side of draw, 620 ft.
- 16.45 Old flume on ditch, bears N. and S.
- 32.30 Top of spur, slopes N.60*W.; ascend along N. slope.
- 38.98 Intersect the $\frac{1}{2}$ sec. cor., which is a conglomerate stone,