

County Surveyor's Record, Douglas County, Oregon

North Bdy. T. 30 S., R. 7 W.
(Byars Survey)

CHAINS

A pine, rotted down, bears N.72*E., 152 lks. dist.,
(not N.74*E.)

✓ A pine, 16 ins. diam., bears S.25*E., 5 lks. dist.
(not 15 lks.), marks grown over.

A pine, rotted down, bears S.15*W., 5 lks. dist.
(not S.75*W.)

✓ A pine, 24 ins. diam., bears N.60*W., 16 lks. dist.
(not N.30*W.), marks grown over. I re-mark T 29 $\frac{1}{2}$
S R 7 W S 33 B T.

At the exact cor. point, alongside the pine post,
Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in
the ground, for cor. of secs. 3, 4, 33, and 34, with
brass cap marked

$$\begin{array}{r} T29\frac{1}{2}S:R7W \\ S33:S34 \\ \hline S4:S3 \\ T30S \\ 1924 \end{array}$$

from which new bearing trees:

A pine, 18 ins. diam., bears N.41*E., 65 lks. dist.
marked T 29 $\frac{1}{2}$ S R 7 W S 34 B T.

A pine, 18 ins. diam., bears S.66*W., 39 lks. dist.
marked T 30 S R 7 W S 4 B T.

Land, mountainous.

Soil, rocky clay loam, 2nd and 3rd rate.

Timber, fir, pine, oak, cedar, and laurel.

Undergrowth, fir, hazel, vine maple, oak, and laurel.

N.85*40'E., bet. secs. 3 and 34.

Over rolling land, through heavy timber and dense under-
growth.

Ascend SW. slope, 280 ft.

7.50 Top of spur, slopes NW.; ascend NW. slope.

12.20 Top of ridge, bears N.20*E. and S.; descend E. slope 340
ft.

30.00 Draw, course S.

34.50 Draw, course SW.; ascend NW. slope, 72 ft.