

Subdivisions of T. 29 S., R. 1 W.,

CHAINS	
	At the cor. of secs. 16, 17, 20 and 21.
	Thence I run
	North 0°3'W. bet. secs. 16 and 17.
	Over mountainous land through heavy timber and dense undergrowth.
	Along E. slope.
10.10	Creek, 5 lks. wide, course E.
11.00	Creek, .2 lks. wide, course SE.
	Asc. S. slope.
20.00	Summit of ridge, bears E. and W.
	Desc. N. Slope.
30.00	Creek, 3 lks. wide, course SE.
	Asc. S. slope.
40.00	Set a porphyry stone, 18x15x4 ins. 12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, from which A red fir, 40 ins. diam., bears S.88°E., 30 lks. dist., marked $\frac{1}{4}$ S 16 B T. A white fir, 14 ins. diam., bears N.39°W., 36 lks. dist., marked $\frac{1}{4}$ S 17 B T.
44.50	Summit of ridge, bears E. and W.
	Desc. N. Slope.
49.08	Dry creek bed, 3 lks. wide, course SE.
79.50	Creek, 4 lks. wide, course NE.
80.00	Set an ironstone, 20x10x8 ins. 15 ins. in the ground for cor. of secs. 8, 9, 16 and 17, marked with 4 notches on S. and E. edges, from which A hemlock, 14 ins. diam., bears N.82°E., 9 lks. dist., marked T 29 S R 1 W S 9 B T. A hemlock, 15 ins. diam., bears S.17°E., 45 lks. dist., marked T 29 S R 1 W S 16 B T. A hemlock, 9 ins. diam., bears S.54°W., 35 lks. dist., marked T 29 S R 1 W S 17 B T. A hemlock, 18 ins. diam., bears N.71°W., 49 lks. dist., marked T 29 S R 1 W S 8 B T.