

Portion of the South Bdy. of T. 29 S., R. 1 W.,

CHAINS

I destroy all markings on the old bearing trees referring to secs. 34 and 35.

Thence I run

East, counting the distance from the cor. of secs. 34 and 35.

9.00 Top of ridge, 300 ft. above sec. cor., bears N. and S. Descend.

30.75 Brook, 1 lk. wide, runs N.

40.00 Set a basalt stone, 18x12x6 ins. 12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, from which

A fir, 48 ins. diam., bears N.65*E., 39 lks. dist., marked $\frac{1}{4}$ S 35 B T.

A fir, 42 ins. diam., bears N.60*W., 49 lks. dist., marked $\frac{1}{4}$ S 35 B T.

42.98 Intersect the old $\frac{1}{4}$ sec. cor.

The post and 1 bearing tree have been destroyed.

By reference of the remaining bearing tree, I locate the original cor. where I

Set a granite stone, 15x8x7 ins. 10 ins. in the ground for $\frac{1}{4}$ sec. cor. common to 2 quarters only, marked $\frac{1}{4}$ on S. face, from which

The original fir, 12 ins. diam., bears N.75*E., 9 lks. dist.,

A fir, 18 ins. diam., bears S.19 $\frac{1}{2}$ *E., 64 lks. dist., marked $\frac{1}{4}$ S 35 B T. (New B.T.)

From this $\frac{1}{4}$ sec. cor. Frank L. George's barn, bears N. 1.45 chs. dist.

Thence I run

S.89*40'E. on the S. Bdy. of sec. 35.

46.75 Frank L. George's house, bears N. 65 lks. dist.

48.90 Brook, 5 lks wide, course N.

Asc. from brook.