

Subdivisional Lines of T. 29 S., R. 1 W.,

CHAINS	
	At the cor. of secs. 23, 24, 25 and 26.
	Thence I run
	N.0*1'W. bet. secs. 23 and 24.
	Desc. through heavy timber and dense undergrowth.
40.00	Set a basalt stone, 15x10x8 ins. 10 ins. in the ground for $\frac{1}{2}$ sec. cor. marked $\frac{1}{2}$ on W. face, from which A cedar, 30 ins. diam., bears S.76*E., 76 lks. dist., marked $\frac{1}{2}$ S 24 B T. A hemlock, 18 ins. diam., bears S.46*W., 8 lks. dist., marked $\frac{1}{2}$ S 23 B T.
40.50	A branch, 3 lks. wide, 900 ft. below the sec. cor., course NW. Thence across steep W. slope.
47.00	Desc. 250 ft.
60.20	A creek, 15 lks, wide, course W. Ascend.
61.20	A ditch, 3 lks. wide, course W.
63.75	Point of spur, 100 ft. above creek, slopes W. Descend.
68.00	Enter bottom land, partly cleaned, bears NE. and SW., 100 ft. below spur.
69.75	Emmerson's cabin, bears S.56*W. about 8.00 chs. dist.
73.00	A miner's cabin, 100 lks. W.
73.00	Enter heavy timber, bears NW. and SE.
79.00	Desc. river bank.
80.00	The point for cor. of secs. 13, 14, 23 and 24, falls on bed rock on left bank of North Fork of South Umpqua River, course S.20*W. Cut x on bed rock at exact cor. point, from which A fir, 30 ins. diam., bears N.46*E., 124 lks. dist., marked T 29 S R 1 W S 13 B T. A fir, 15 ins. diam., bears S.28*E., 70 lks. dist., marked T 29 S R 1 W S 24 B T.