

Subdivisional Lines of T. 29 S., R. 1 W.

CHAINS	
	ground, firmly set, marked and witnessed as described by the Surveyor General.
	August 2, 1910.
	At the cor. of secs. 12 and 13 on the Willamette Meridian.
	Thence I run
	S.89°58'W. on a true line bet. secs. 12 and 13.
	Across N. slope through heavy timber and dense undergrowth.
6.75	Descend.
31.75	Branch, 3 lks. wide, 900 ft. below the sec. cor., course NW.
	Asc. 150 ft.
47.25	Top of spur, slopes N.
	Desc. 500 ft.
65.65	Creek, 15 lks. wide, course SW.
	Ascend.
73.74	Set a basalt stone, 14x8x6 ins. 10 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, from which
	A fir, 30 ins. diam., bears S.70°W., 84 lks. dist., marked $\frac{1}{4}$ S 13 B T.
	A fir, 30 ins. diam., bears N.28°W., 48 lks. dist., marked $\frac{1}{4}$ S 12 B T.
76.25	Top of spur, 300 ft. above creek, slopes S.
	Desc. 400 ft.
84.25	Foot of descent, bears N. and S.
	Thence over level land.
88.50	Boulder Creek, 80 lks. wide, course S.
93.00	Asc. 400 ft.
113.74	The cor. of secs. 11, 12, 13 and 14.
	Land, mountainous.
	Soil, clay loam and stony, 3rd. and 4th. rates.
	Timber, fir, hemlock, pine and cedar.
	Undergrowth, small fir, hemlock, vine maple, hazel and chinquapin.
	August 3, 1910.