

Resurvey of the S. Bdy. T. 28 S., R. 1 W.

CHAINS

ground, for $\frac{1}{4}$ sec. cor. of sec. 4 only, with brass cap marked

$$\frac{1}{4} \text{ S } 4$$

1922

from which

A fir, 9 ins. diam., bears S.14*E., 43 lks. dist., marked $\frac{1}{4}$ S 4 B T.

A chinquapin, 6 ins. diam., bears S.30*W., 10 lks. dist., marked $\frac{1}{4}$ S 4 B T.

40.29 Intersect the old $\frac{1}{4}$ sec. cor., which is a basalt stone, 5x16x10 ins. above ground, firmly set, marked $\frac{1}{4}$ on N. face, and witnessed as described by the surveyor general. I change this cor. to refer to sec. 33 only, obliterate marks on the old SW. bearing tree and mark a new tree as follows:

A fir, 15 ins. diam., bears N.14*E., 17 lks. dist., marked $\frac{1}{4}$ S 33 B T. (Old B T.)

A fir, 9 ins. diam., bears N.30*W., 16 lks. dist., marked $\frac{1}{4}$ S 33 B T. (New B T.)

Thence

S.89*40'E., continuing my measurements.

Desc. SE. slope, 705 ft. to creek.

48.58 Point for closing cor. of secs. 3 and 4, hereinafter described.

74.10 North Fork of Dumore Creek, 20 lks. wide, course SW., asc. steep W. Slope, 183 ft.

80.46 Intersect the old cor. of secs. 3, 4, 33 and 34, which is a basalt stone, 5x14x5 ins. above ground, firmly set, marked with 3 notches on E. and W. edges, and witnessed as described by the surveyor general, except the NW. bearing tree is dead. I change this cor. to refer to secs. 33 and 34 only, obliterate marks on the old SE.