

## Subdivisions, T. 29 S., R. 1 W.

## CHAINS

Land, mountainous.

Soil, rocky clay loam, 3rd. rate.

Timber, fir, sugar pine, and cedar.

Undergrowth, salal, dogwood, vinemaple and laurel.

East, along the N. Bay. of sec. 15.

Desc. E. slope, 235 ft. through heavy timber and dense undergrowth.

14.15 Dumore Creek, 30 lks. wide, course S., asc. SW. slope, 548 ft. to  $\frac{1}{4}$  sec. cor.

33.05 Gulch, course SW.

36.16 Intersect the old  $\frac{1}{4}$  sec. cor., which is a fir, 10 ins. diam., marked and witnessed as described by the surveyor general. I change this cor. to refer to sec. 15, only, obliterate marks on the NE, bearing tree and on the N. side of the cor. tree, and remark cor.,  $\frac{1}{4}$  S 15 on S. side, from which

A fir, 12 ins. diam., bears S.66\*E., 25 lks. dist., marked  $\frac{1}{4}$  S 15 B T. (Old B T.)

A fir, 5 ins. diam., bears S.7\*W., 33 lks. dist., marked  $\frac{1}{4}$  S 15 B T. (New B T.)

38.05 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor. of sec. 10 only, with brass cap marked

$\frac{1}{4}$  S 10  
1922

from which

A fir, 8 ins. diam., bears N.20\*E., 19 lks. dist., marked  $\frac{1}{4}$  S 10 B T.

A maple, 4 ins. diam., bears N.88\*W., 13 lks. dist., marked  $\frac{1}{4}$  S 10 B T.

Asc. SW. slope, 695 ft. to