


125

Subdivisions, T. 29 S., R. 1 W.

CHAINS


At the point of intersection,  
 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the  
 ground, for closing cor. of secs. 2 and 3, with brass  
 cap marked



from which  
 A fir, 20 ins. diam., bears S.65\*E., 25 lks. dist.,  
 marked T 29 S R 1 W S 2 C C B T.  
 A fir, 16 ins. diam., bears S.47\*W., 12 lks. dist.,  
 marked T 29 S R 1 W S 3 C C B T

Land, mountainous.  
 Soil, rocky loam, 4th rate.  
 Timber, fir, cedar, madrona, hemlock and chinquapin.  
 Undergrowth, vine maple, rhododendron and salal.

From the cor. of secs. 11 and 12, on the N. bdy. of sec. 13.  
 N.0\*04'E., bet. secs. 11 and 12.  
 Asc. 52 ft. through heavy timber and dense undergrowth.  
 2.00 Top of spur, slopes NE., desc. NE. slope, 461 ft. to  
 31.38 Creek, 10 lks. wide, course E., thence along E. slope.  
 38.72 Spring branch, 2 lks. wide, course NE.  
 40.56 Point for  $\frac{1}{4}$  sec. cor., determined as hereafter set forth.  
 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in  
 the ground, for  $\frac{1}{4}$  sec. cor., with brass cap marked



from which  
 A hemlock, 18 ins. diam., bears N.82\*E., 21 lks.  
 dist., marked  $\frac{1}{4}$  S 12 B T.