

Resurvey and Survey North Bdy., T. 29 S., R. 2 W.

CHAINS

Undergrowth, maple, rhododendron and young timber.

N.89*59'E., resurveying N. bdy. of sec. 5.

Ascend through heavy timber and dense undergrowth.

5.45 Top of spur, slopes NW., descend.

12.65 Creek, 4 lks. wide, course NW., ascend.

27.40 Top of spur, slopes SW.; descend.

29.50 Creek, 1 lk. wide, course S.; continue descend.

35.35 Spring branch, course SW.; ascend.

36.23 Intersect the cor. of secs. 31 and 32, which is a cedar post, badly decayed, marked and witnessed as described by the surveyor general. I perpetuate this cor., as follows: alongside the old cor.

Set a basalt stone, 12x10x6 ins., 8 ins. in the ground, for cor. of secs. 31 and 32, T. 28 S., R. 2 W. only, marked with 1 notch on the W. and 5 notches on the E. edge; from which

A fir, 12 ins. diam., bears N.50*E., 29 lks. dist., marked T 28 S R 2 W S 32 B T. (Old B.T.)

A cedar, 5 ins. diam., bears N.72*W., 10 lks. dist., marked T 28 S R 2 W S 31 B T. (Old B.T.)

Thence

S.89*37'E., continuing my measurements.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ cor. of sec. 5 only, with brass cap marked

$\frac{1}{4}$ S5
1917

from which

A yew, 7 ins. diam., bears S.10*E., 38 lks. dist., marked $\frac{1}{4}$ S 5 B T.

A cedar, 6 ins. diam., bears S.28*W., 16 lks. dist., marked $\frac{1}{4}$ S 5 B T.

46.85 Top of spur, slopes NW.; ascend along NW. slope.

72.10 Top of spur, slopes N.; descend NE. slope.

76.25 Intersect the $\frac{1}{4}$ cor. of sec. 32, which is a post, firmly