

Subdivision of T. 29 S., R. 2 W.

CHAINS

40.02 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

$$\frac{\frac{1}{4}}{S10}$$

$$\frac{S15}{1917}$$

from which

A balsam fir, 14 ins. diam., bears S.48*W., 25 lks. dist., marked $\frac{1}{4}$ S 15 B.T.

A hemlock, 15 ins. diam., bears N.66*E., 44 lks. dist., marked $\frac{1}{4}$ S 10 B T.

44.40 Top of ridge, bears N. and S.; descend.

50.00 Head of spring branch, course SW.; ascend.

65.00 Top of spur, slopes S.; descend.

80.06 The cor. of secs. 9, 10, 15 and 16.

Land, mountainous.

Soil, gravelly loam, 2nd and 3rd rate.

Timber, fir, pine, hemlock and cedar.

Undergrowth, chinquapin, maple and rhododendron.

N.0*07'E., bet. secs. 9 and 10.

Along W. slope, through heavy timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

$$\frac{\frac{1}{4}}{S9|S10}$$

$$1917$$

from which

A fir, 12 ins. diam., bears S.28*W., 32 lks. dist., marked $\frac{1}{4}$ S 9 B T.

A fir, 16 ins. diam., bears S.75*E., 35 lks dist., marked $\frac{1}{4}$ S 10 B T.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, with brass cap marked

$$\frac{T29S R2W}{S4|S3}$$

$$\frac{S9|S10}{1917}$$

from which