

Subdivisions of T. 29 S., R. 7 W.

CHAINS

A Fir, 18 ins. diam., bears N.79*30'E., 56 lks. dist.,
Marked T. 29 S R 7 W S 25 B T.

A Fir, 6 ins. diam., bears S.22*15'E., 29 lks. dist.
Marked T 29 S R 7 W S 36 B T.

A Fir, 12 ins. diam., bears S.19*30'W., 53 lks. dist.
Marked T 29 S R 7 W S 35 B T.

A Fir, 30 ins. diam., bears N.61*30'W., 29 lks. dist.
Marked T 29 S R 7 W S 26 B T.

I proceed to establish my temporary line as a true line,
settin $\frac{1}{2}$ sec. corner, 40 chs. from the West

From the corner of secs. 25, 30, 31 and 36 on the East
bdy., I run

W. on a true line, between secs. 25 and 36,

Descend NW. slope, over mountainous land, through heavy
timber and dense undergrowth; exceptionally difficult
to survey.

11.24 A ravine, Course N.50*W., 100 ft. below sec. corner.
Thence ascend, 100 ft. to

25.00 Top of spur, extending N.25*E. Thence descend 75 ft. to

27.26 Dry bed of Salt Creek, Course N.20*W. Ascend.

44.49 Set a Fir post, 4 ins. square, 3 ft. long, 24 ins. in the
ground, for $\frac{1}{2}$ sec. corner, marked $\frac{1}{2}$ S. 25 on N. and
36 on S. face, from which

A Madrona, 18 ins. diam., bears S.40*W., 28 lks. dist.
Marked $\frac{1}{2}$ S 36 B T.

A Fir, 30 ins. diam., bears N.80*E., 13 lks. dist.
Marked $\frac{1}{2}$ S 25 B T.

45.65 A road, on top of ridge, bears N. and S., 300 ft. above
dry bed of Salt Creek. Thence descend.

66.30 Bottom of ravine, Course N.10*W., 100 ft. below top of
ridge. Thence ascend, 50 ft. to

68.60 Top of spur, extending N.30*W., descend.