

## Subdivisions of T. 29 S., R. 7 W.

CHAINS

E. with 2 grooves on S. and E. faces, from which,  
 A Fir, 10 ins. diam., bears N.62°30'E., 121 lks. dist.  
 Marked T 29 S R 7 W S 23 B T.  
 A Fir, 24 ins. diam., bears S.84°48'E., 66 lks. dist.  
 Marked T 29 S R 7 W S 26 B T.

Land, mountainous.

Soil, stony, second and third rate.

Timber, Fir, Pine, Cedar, Madrona and Oak.

Undergrowth, Maple, Chinquapin and Willow.

July 5, 1910.

Resurvey of Subdivisions of T. 29 S., R. 7 W.,  
 Same Deputy and Contract.

The corner of secs. 13, 18, 19 and 24, on the East bdy.

Thence I run

W. on a retracement, between secs. 13 and 24.

Descend W. slope, over mountainous land, through heavy  
 timber and scattering undergrowth.

5.97 A spring branch, 1 lk. wide, course NE.

18.90 A spring branch, 2 lks. wide, course N.30°E., 150 ft.  
 below sec. corner. Thence ascend.40.00 Set temporary  $\frac{1}{4}$  sec. corner. After diligent search I am  
 unable to find any trace of the old  $\frac{1}{4}$  sec. cor.50.00 Top of divide, bears NE. and SW., 150 ft. above spring  
 branch. Thence descend.64.75 A spring branch, 2 lks. wide, course SE., 300 ft. below  
 top of divide. Thence ascend, 100 ft. to87.98 Fall 300 lks. S. of the cor. of secs. 13, 14, 23 and 24.  
 Therefore this line is 88.03 chs. in length, and bears  
 N.88°3'W.I proceed to re-establish the  $\frac{1}{4}$  sec. corner at a point  
 equi-distant from the two sec. cors., as follows: