

## Retracement of Subdivisional Lines of Fractional T.29 S., R.9W.

CHAINS

Corner post and one witness tree destroyed.

Set a cedar post 3 ft. long, 4 ins. sqr., 24 ins. in the ground marked

$\frac{1}{2}$  S 33 on W., and

34 on the E. face from which

A Hemlock, 10 ins. in diam. bears S.58\*E., 50 lks.

Marked  $\frac{1}{2}$  S 34 B T

A fir, (Old W.T.) 24 ins. in diam. bears N.88\*W., 52 lks.

Marked  $\frac{1}{2}$  S 33 B T

Steep descent.

47.60 A creek, 6 lks. wide, course E. Steep ascent.

48.75 Top of spur on line, course E. Trail along same.

Steep descent.

49.50 A creek, 2 lks. wide, course E.

Steep ascent.

65.50 Top of spur on line; C. E.

Steep descent.

80.15 Point for cor. of secs. 27, 28, 33, and 34.

Post and 2 witness trees gone.

Set a fir post 3 ft. long, 4 ins. sqr., 24 ins. in ground for cor. of secs. 27, 28, 33, and 34, marked

T 29SS 27 on N.E.,

R 9 W S 34 on S.E.,

S 33 on S.W. and

S 28 on N.W. faces, with 1 notch on S. and

3 notches on E. edges from which

A Maple 10 ins. in diam. bears N.80\*E., 21 lks.

dist. Marked T 29 S R 9 W S 27 B T

A fir, 6 ins. in diam. (Old W.T.) bears S.70\*E., 175 lks.

Marked T 29 S R 9 W S 34 B T

An alder, 12 ins. in diam. bears S.15\*W., 30 lks.

Marked T 29 S R 9 W S 33 B T

A fir, 30 ins. in diam. (Old B.T.) bears N.78\*W., 41 lks.

Marked T 29 S R 9 W S 28 B T