

Subdivisional Lines of Fractional T. 29 S., R. 9 W.,

CHAINS

Ascend through heavy timber and dense undergrowth.

38.00 Top of spur, G. N.W. and S.E. about 300 ft. elevation.

40.20 Set fir post 3 ft. long, 4 ins sq., 24 ins. in ground for $\frac{1}{4}$ sec. cor. marked

$\frac{1}{4}$ S 15 on N. and

22 on S. faces; from which

A Maple, 8 ins in diam. bears N., 10 lks.

Marked $\frac{1}{4}$ S 15 B T

A fir, 50 ins. in diam. bears S.80*E., 26 lks.

Marked $\frac{1}{4}$ S 22 B T

66.90 Ascend bluff about 50 ft. high, C. N. and S.

75.40 Ascend rocky bluff about 200 ft. high; C. N. and S.

80.40 The cor. of Secs. 15, 16, 21, and 22.

Land mountainous.

Soil, decomposed rock, loam and stony. 2nd and 3rd rate.

Timber, partially destroyed by fire, fir, hemlock, cedar, maple and yew.

Undergrowth, fir, hemlock, cedar, vine maple, yew, sallow and rhododendron.

Mountainous land or land heavily timbered, or covered with dense undergrowth and exceptionally difficult to survey--80.40 chs.

June 10, 1907.

At the cor. of Secs. 15, 16, 21 and 22.

Thence I run

N.0*1'W. on random line between Secs. 15 and 16.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

81.19 Intersect N. bdy., 75 lks. E. of cor. of secs. 9, 10, 15 and 16, which is a post 4 ins. sq., described in my notes of re-survey under this contract.

Set a basalt stone 20x15x8 ins., 15 ins. in the ground, At point of intersection, for closing cor. of secs. 15 and 16, marked

CC on S. face and 4 notches on S. and 3