

Willamette Meridian  
Through T. 30 S.

## CHAINS

- 30.00 Thence over almost level ground.  
Difference bet. measurement of 40.00 chs. by two sets of chainmen is 16 lks.; position of middle point  
By 1st set, 40.08  
By 2nd set, 39.92  
the mean of which is
- 40.00 Set a basalt stone, 15x10x5 ins., 10 ins. in ground for  $\frac{1}{4}$  sec. corner, marked  $\frac{1}{4}$  on W. face; from which  
A fir, 60 ins. diam., bears SE., 26 lks. dist., marked  $\frac{1}{4}$  S 7 B T.  
A fir, 14 ins. diam., bears N.80\*W., 57 lks. dist., marked  $\frac{1}{4}$  S 12 B T.
- 75.25 Top of ridge, bears E. and W. Desc.  
Difference bet. measurements of 80.00 chs. by two sets of chainmen is 10 lks.; position of middle point  
By 1st set, 80.05  
By 2nd set, 79.95  
the mean of which is
- 80.00 Set a basalt stone, 20x14x10 ins., 15 ins. in ground for corner of secs. 1 and 12, marked with 1 notch on N. and 5 notches on S. edges, from which  
A hemlock, 16 ins. diam., bears S.37\*W., 21 lks. dist., marked T 30 S R 1 W S 12 B T.  
A fir, 10 ins. diam., bears N.72\*W., 61 lks. dist., marked T 30 S R 1 W S 1 B T.  
From this corner the old corner of secs. 1, 6, 7 and 12 bears N.76\*34'W, 30.03 chs. dist., which is a fir marked and witnessed as described by the surveyor general. I destroy all marks on the old corner referring to T.30 S., R. 1 E.  
Land, mountainous.  
Soil, stoney and third rate.