

Subdivisions, T. 30 S., R. 1 W.

CHAINS	
35.00	<p>Asc. NE. slope. Summit of ridge bears NW. and SE. Desc. SW. slope.</p>
40.89	<p>Set a basalt stone 14x12x6 ins., 9$\frac{1}{2}$ ins. in the ground for $\frac{1}{4}$ sec. corner marked $\frac{1}{4}$ on W. face; from which</p> <p style="padding-left: 40px;">A red fir, 30 ins. diam., bears N.25*E., 49 lks. dist., marked $\frac{1}{4}$ S 2 B T.</p> <p style="padding-left: 40px;">A cedar, 15 ins. diam., bears S.70*W., 66 lks. dist., marked $\frac{1}{4}$ S 3 B T.</p>
45.65	Gulch, C. NW.
51.90	Enter slashing on M. J. Gardner's land claim.
54.15	<p>Creek, 4 lks. wide, C. NW. Leave slashing. Asc. NW. slope.</p>
73.36	A red fir 48 ins. diam.
80.89	<p>The corner of secs. 2, 3, 10 and 11. Land, mountainous. Soil, loam and stony, second and third rate. Timber, red and white fir, sugar pine, cedar; undergrowth, vine maple, arrowwood, hazel. Mountainous or heavily timbered land or land covered with dense undergrowth, 80.89 chs.</p>
40.00	<p>At the corner of secs. 3 and 4 on the sectional correction line, I run North, 0*2'W. on a random line bet. secs. 3 and 4. Set temp. $\frac{1}{4}$ sec. corner.</p>
81.10	<p>Intersect N. bdy. of the tp. 5 lks. W. of the corner of secs. 3, 4, 33 and 34, which I established August 7, 1905. (See book of survey of North bdy. of T 30 S, R 1 W., page 7). Thence, I run South, on a true line bet. secs. 3 and 4.</p>