

6691^E County Surveyor's Record, Douglas County, Oregon

Subdivision of T. 30 S., R. 1 W.

CHAINS	
9.82	Creek, 1 lk. wide, course NW.
25.00	Gulch, course NW.
30.58	Creek, 2 lks. wide, course NW.
40.00	Set an ironstone 15x12x8 ins. 10 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, from which: A maple 14 ins. diam. bears N. 56° W. 66 lks. dist. marked $\frac{1}{4}$ S 3 B T. A yew, 9 ins. diam. bears S. 59° W. 6 lks. dist. marked $\frac{1}{4}$ S10 B T.
40.42	Creek, 3 lks. wide, course NW. Ascend steep W. slope.
51.50	Top of steep ascent. Thence ascend gentle W. slope.
56.50	Enter willow swamp.
64.50	Leave swamp. Ascend W. slope.
83.86	Intersect cor. of secs 2, 3, 10 and 11, which is nearly obliterated. The old cor. which was a post has disappeared. The fir and the maple described as bearing trees in secs. 2 and 10 are standing, with marks deeply overgrown and nearly indistinguishable. No trace found of the other bearing trees. Obliterate the old marks and reestablish the corner in its original position as follows: Set a basalt stone 18x16x8 ins. 12 ins. in the ground for cor. of secs. 2, 3, 10 and 11, marked with 5 notches on S. and 2 notches on E. edge, from which: A A white fir, 12 ins. diam. bears N. 58° E. 76 lks. dist. marked T 30 S R1 W S 2 B T. A white fir, 20 ins. diam. bears S. 78° E. 123 lks. dist. marked T 30 S R 1 W S11 B T. A maple, 16 ins. diam. bears S. 37° W. 30 lks. dist. marked T 30 S R 1 W S 10 B T. A red fir 60 ins. diam. bears N. 38° W. 68 lks. dist. marked T 30 S R 1 W S 3 B T.
Un	Land, mountainous. Soil, clay, loam and stony, 2nd and 3d rate. Timber, red and white fir, sugar and yellow pine, cedar, maple; Undergrowth, vine maple, hazel, arrowwood, willow, chinquapin. Mountainous or heavily timbered land or land covered with dense undergrowth, 83.86 chains. August 10: At 5 p.m., 1. m. t., I set off 42° 59' on the lat. arc; 15°34' N. on the decl. arc and determine a meridian with the solar at the cor. of secs. 2, 3, 10 and 11. August 10, 1905