

Retracement and Dependent Resurvey of Portion  
of Subdivisional Lines in T. 30 S., R. 1 W.

CHAINS

Retracement

A fir, 14 ins. diam., bears S.25\*W., 97 lks. dist., marked X 2 H E S 195 B T.

With mound of stone SW. of cor.

21.25 Top of ascent. Thence along S. slope.

26.60 Trail, bears NE. and SW.

31.25 Creek, 1 lk. wide, C. S.

40.57 Fall 7 lks. S. of the point for the  $\frac{1}{4}$  sec. cor., which I locate by reference to the original bearing trees.

Set an iron post 3 ft. long, 1 in. diam., 28 ins. in the ground for  $\frac{1}{4}$  sec. cor., with brass cap marked

S14  
 $\frac{1}{4}$  ———  
S23  
1923

from which

A pine, 15 ins. diam., bears N.80\*E., 19 lks. dist., now marked  $\frac{1}{4}$  S 14 B T: old B T.

A fir, 18 ins. diam., bears S.35\*E., 70 lks. dist., now marked  $\frac{1}{4}$  S 23 B T: old B T.

Ascend 187 ft. over SW. slope.

53.07 Spur, slopes S. Desc. 467 ft. over SE. slope.

70.60 Rocky ravine, C. SE. Asc. 34 ft. over SW. slope.

81.13 Fall 61 lks. S. of the cor. of secs. 13, 14, 23 and 24, which is identified by a small mound of stone and fragments of the old post. The NW. and SW. bearing trees are dead and the NE. tree is not found. The SE tree is an oak instead of a fir, as reported. In The position of the old post.

Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock, supported by mound of stone for cor. of secs. 13, 14, 23, and 24, with brass cap marked

T30S R1W  
S14|S13  
—|—  
S23|S24  
1923

from which