

Subdivisions of T. 30 S., R. 1 W.

CHAINS

T30S	
S24	
S26	
	S25
	R1W
	1923

from which

An ash, 12 ins. diam., bears N.47*E., 108 lks.
dist., marked T 30 S R 1 W S 24 B T.

A fir, 30 ins. diam., bears S.49*E., 47 lks. dist.,
marked T 30 S R 1 W S 25 B T.

79.94 Point of intersection with line extended E. from cor.
of secs. 22, 23, 26 and 27, as hereinafter shown.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the
ground, for cor. of secs. 23 and 26, with brass cap
marked

T30S	
S23	
S26	
R1W	S24
	1923

from which

A fir, 24 ins. diam., bears S.31*W., 131 lks.
dist., marked T 30 S R 1 W S 26 B T.

A cedar, 6 ins. diam., bears N.52*W., 111 lks.
dist., marked T 30 S R 1 W S 23 B T.

Land, mountainous.

Soil, clay loam, stony in places, 2nd and 3rd rate.

Timber, fir, cedar.

Undergrowth, hazel, vine maple, fir.

From the cor. of secs. 24 and 25 only, on the E. bdy. of
sec. 26,

N.89*58'E., on a random line, bet. secs. 24 and 25.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

109.94 Intersect Willamette Meridian, 3 lks. S. of the cor. of