

Dependent Resurvey of Willamette Meridian through T. 30 S.

CHAINS

North, resurveying the E. bdy., of sec. 13, T. 30 S.,
R. 1 W.

3.58 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the
ground, for $\frac{1}{4}$ sec. cor., of sec. 18 only, with brass
cap marked

| $\frac{1}{4}$ S18
1923

from which

A fir, 60 ins. diam., bears N.62*E., 146 lks. dist.,
marked $\frac{1}{4}$ S 18 B T.

A fir, 30 ins. diam., bears S.3*E., 124 lks. dist.,
marked $\frac{1}{4}$ S 18 B T.

40.00 The original $\frac{1}{4}$ sec. cor., which is a basalt stone,
10x6x5 ins. above ground, firmly set, marked $\frac{1}{4}$ on W.
face.

Hereafter this cor. will refer to sec. 13 only. I mark
the cor. stone $\frac{1}{4}$ S 13 on W. face; from which

A fir, 30 ins. diam., bears S.3*W., 46 lks. dist.,
marked $\frac{1}{4}$ S 13 B T., old B T.

A fir, 36 ins. diam., bears N.66*W., 64 lks. dist.,
marked $\frac{1}{4}$ S 13 B T., new B T.

I obliterate the marks on old B T in sec. 18.

43.58 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in
the ground, for cor. of secs. 7 and 18 only, with
brass cap marked

T30S | T30S
R1W | S7
S13 | S18
R1E
1923

from which

A fir, 26 ins. diam., bears N.64*E., 47 lks. dist.,
marked T 30 S R 1 E S 7 B T.

A fir, 8 ins. diam., bears S.62*E., 86 lks. dist.,
marked T 30 S R 1 E S 18 B T.