

Re-survey of Subdivision Lines of T. 30 S., R. 2 W.

CHAINS	
	<p>A Fir, 15 ins. diam., bears S.87°E., 7 lks. dist. marked T 30 S, R 2 W, S 33 B T.</p> <p>A Fir, 16 ins. diam., bears S.88°W., 90 lks. dist. marked T 30 S, R 2 W, S 32 B T.</p> <p>A Fir, 18 ins. diam., bears N.61°W., 71 lks. dist. marked T 30 S, R 2 W, S 29 B T.</p> <p>Thence I run, West on a true line between secs. 29 and 32. Over mountainous land, through scattering timber and dense undergrowth.</p> <p>Along S. slope</p>
2.50	Ravine, course S.
4.25	Ridge, point descending S.
7.15	Creek, 1 lk. wide, course S.
12.50	Ridge bears N. and S.
17.50	Descend steep SW. slope.
25.00	Creek, 3 lks. wide, course S. Ascend steep E. slope.
33.50	Ridge bears N and S. Along S. slope.
35.40	Trail bears NW. and SE.
39.91	Point midway on N. bdy. sec. 32. Set a granite stone 16x12x6 ins., 11 ins. in the ground, for $\frac{1}{4}$ sec. cor. on N. bdy. sec. 32, marked $\frac{1}{4}$ on S face from which,
	<p>A Madrone, 8 ins. diam., bears S.60°E., 50 lks. dist. marked <math>\frac{1}{4}</math> S 32 B T.</p> <p>A Yellow Pine, 6 ins. diam., bears S.38°W., 46 lks. dist. marked <math>\frac{1}{4}</math> S 32 B T.</p>
40.35	Point midway on S. bdy. sec. 29. Set a granite stone 12x10x6 ins., 8 ins. in the ground, for $\frac{1}{4}$ sec. cor. on S. bdy. sec. 29, marked $\frac{1}{4}$ on N. face, from which,