

Subdivision of T. 30 S., R. 2 W.

CHAINS	
10.40	A miner's tunnel on line.
19.50	Creek, 2 lks. wide, course N.10*E.
22.50	Ravine, course NW.
33.50	Ridge bears E. and W. Desc. SE. slope.
40.00	Set a granite stone 16x12x8 ins., 11 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, from which, A Fir, 16 ins. diam., bears S.7*E., 28 lks. dist. marked $\frac{1}{4}$ S 32 B T. A Fir, 36 ins. diam., bears N.49*W., 53 lks. dist. marked $\frac{1}{4}$ S 31 B T.
43.35	Ravine, course E. Along E. slope.
48.85	Ravine, course E.
52.75	Ridge point descending NE.
60.75	Prospect cut W. of line.
63.25	Creek, 6 lks. wide, course N.10*E. Asc. NW. slope.
80.50	Ridge bears NE. and SW.
80.85	The cor. of secs. 31 and 32. Land, mountainous. Soil, granite and stony, 2nd and 3rd rate. Timber, Fir, Hemlock, Undergrowth, Vine Maple, Hemlock, Hazel. Mountainous or heavily timbered land or land covered with dense undergrowth and exceptionally difficult to survey, 80.85 chs.
	I commence at the $\frac{1}{4}$ sec. cor. on S. Bdy. sec. 30. Thence I run West on random line bet. secs. 30 and 31.
41.15	Intersect W. bdy. of Tp., 70 lks. S.1*9'E. of the cor. of secs. 25, 30, 31 and 36, which is a granite stone 6x12x7 ins. above ground, firmly set, marked and