

Resurvey of Exterior Lines, T. 30 S., R. 4 W.
Offset Meridian through T. 30 S., Rs. 4 and 5 W.

CHAINS	<p>from which</p> <p>A B. Oak, 12 ins. diam., bears S.55*E., 45 lks. dist., marked $\frac{1}{4}$ S B T.</p> <p>This is the old bearing tree whose dim. marks I renew.</p> <p>A W. Oak, 15 ins. diam., bears N.51$\frac{1}{4}$*W., 130 lks. dist., marked $\frac{1}{4}$ S B T.</p> <p style="text-align: right;">Var. 18*E.</p>
42.00	<p>Dry branch, NW.; leave valley; begin descent.</p> <p>Enter Oak and Fir timber with heavy underbrush.</p>
65.50	<p>Top of spur, course S. and N.</p>
80.20	<p>Intersected S. Bdy. at Sec..19, 21 lks. E. of Cor. to Secs. 19, 24, 25 and 30.</p> <p>The post for this corner has been replaced by a small peg, set probably by the County Surveyor, but all bearing trees are still standing. I restore this corner by setting a Laurel post, 4$\frac{1}{2}$ ft. long, 4 ins. sq., 24 ins. in the ground, marked T 30 S S 19 on NE., R 4 W S 30 on the SE., R 5 W S 25 on SW., S 24 on NW. faces, with 4 notches on N. and 2 notches on S. edges, from which</p> <p>A Yellow Pine, 20 ins. diam., bears N.7*E., 475 lks. dist., marked T 30 S R 4 W S 19 B T.</p> <p>A Fir, 20 ins. diam., bears S.10*W., 250 lks. dist., marked T 30 S R 5 W S 25 B T.</p> <p>A B. Oak, 18 ins. diam., bears S.5*E., 815 lks. dist., marked T 30 S R 4 W S 30 B T.</p> <p>These are the original bearing trees which marks having overgrown, I re-mark.</p> <p>A Fir, 10 ins. diam., bears N.34$\frac{1}{4}$*W., 10 lks. dist., marked T 30 S R 5 W S 24 B T.</p> <p>Land, N. half, rolling; S. half, mountainous.</p> <p>Soil, gravelly; 2d rate.</p> <p>Timber, Oak, Fir, Laurel and Pine.</p> <p>Undergrowth, young Firs, Oaks, Laurels and Hazel.</p> <p style="text-align: right;">April 23, 1889.</p>
	<p style="text-align: right;">Var. 18*45'E.</p> <p>South, between Secs. 25 and 30.</p> <p>In small Fir timber, ascending.</p>