

Subdivisions of T. 30 S., R. 4 W.

CHAINS		
	A Fir, 10 ins. diam., bears N.6 $\frac{3}{4}$ *W., 38 lks. dist., marked $\frac{1}{4}$ S B T.	
	Descend slightly on N. slope of mountain.	
52.00	A canyon, course N.; begin ascent.	-300
56.00	Top of spur, course N. and S.; begin descent.	+100
63.00	A gulch and stream, course N., 1 lk. wide.	-40
69.00	Top of spur, course N. and S.; begin descent.	+30
72.00	A gulch, course NE.; begin steep ascent.	
81.50	The Cor. of Secs. 22, 23, 26 and 27.	
	Land, mountainous.	
	Soil, coarse gravelly; 3rd rate.	
	Timber, Fir, Cedar and Laurel.	
	Undergrowth, young Laurels, Firs, Hazel and Willows.	
	I was unable to discover any sign of blaze along the whole line. The topography given in field notes of original surveys mentions a bottom 25.00 chs. long, while I found the whole line to run on top of a high, rough, timbered mountain; and the Cor. of Secs. 23, 24, 25 and 26 sits W. of the S. Umpqua River.	
	May 8, 1889.	
	Var. 18*35'E.	
	North, on a random line bet. Secs. 22 and 23.	
40.00	$\frac{1}{4}$ Sec. Cor.	
78.25	Intersect North Bdy. of Sec. 23, 62 lks. W. of Cor. to Secs. 14, 15, 22 and 23. The post set for this Cor. is gone, but the only bearing tree marked for this Cor., to-wit; a Pine, 36 ins. (not 3) in diam., marked S 22 B T, is still standing. I restore this Cor. by setting a basalt rock 24x12x8 ins., 18 ins. in the ground, for Cor. to Secs. 14, 15, 22 and 23, marked with 3 notches on S. and 2 notches on E. edges,	