

County Surveyor's Record, Douglas County, Oregon

Subdivisions of T. 30 S., R. 4 W.

CHAINS		
	<p>(These three bearing trees are the old ones, whose marks being dim, I re-mark.)</p> <p>A Fir, 10 ins. diam., bears N.49*E., 30 lks. dist., marked T 30 S R 4 W S 11 B T.</p> <p>Thence</p> <p>S.50*W., on true line bet. Secs. 14 and 15.</p> <p style="text-align: right;">Var. 19*30'E.</p> <p>Ascend NE. slope of the mountain through Fir timber.</p>	
31.00	<p>Top of the ridge, dividing waters of Day Creek from those of the S. Umpqua, course N.60*W. and S.60*E. Leave Fir timber; enter Oak openings; begin descent.</p> <p style="text-align: right;">Var. 19*E.</p>	+600
34.00	<p>Leave Oak openings for prairie; begin steep descent of the E. slope of a rocky gulch.</p>	
45.61	<p>$\frac{1}{4}$ Sec. Cor. The old post is gone; the W. Oak, 12 ins. diam., marked $\frac{1}{4}$ S B T is standing, but the Oak in Sec. 15 is gone. I restore this Cor. by setting an Oak post, 3 ft. long, 3 ins. sq., 24 ins. in the ground, marked $\frac{1}{4}$ S on W. face, from which</p> <p>A W. Oak, 12 ins. diam., bears N.80*E., 100 lks. dist., marked $\frac{1}{4}$ S B T.</p> <p>(This is the old bearing tree which I re-mark, the old marks being dim.)</p> <p>A B. Oak, 8 ins. diam., bears S.31*W., 47 lks. dist., marked $\frac{1}{4}$ S B T.</p> <p>Thence</p> <p>S.55*W., on true line bet. Secs. 14 and 15.</p> <p style="text-align: right;">Var. 19*E.</p> <p>Descend through Oak openings.</p>	-200
2.00	<p>Enter heavy underbrush of Hazel, Willow and Oak.</p>	
7.50	<p>Enter Fir timber; begin slight ascent.</p>	-50