

County Surveyor's Record, Douglas County, Oregon

Subdivisions of T.30 S., R. 4 W.

CHAINS

From the  $\frac{1}{4}$  Sec. Cor. on the line between Secs. 27 and 28, which is a Fir tree, 15 ins. diam., marked  $\frac{1}{4}$  S on W. face, from which

A Fir, 36 ins. diam., bears N.60\*W., 6 lks. dist., marked  $\frac{1}{4}$  S B T.

A Fir, 27 ins. diam., bears N.71\*E., 17 lks. dist., marked  $\frac{1}{4}$  S B T.

Thence I run

S.0\*2'W., bet. Secs. 27 and 28.

Var. 19 $\frac{1}{4}$ \*E.

Descend.

-100

7.80 A stream, 1 lk. wide, course West. Ascend.

+75

9.25 A stream, 1 lk. wide, course West.

13.15 Top of ridge, course E. and W. Descend.

-50

22.60 A ravine, course E. and W. Ascend.

+150

31.00 Descend.

-150

40.00 Set a stone 18x12x3 ins., 13 ins. in the ground for Cor. to Secs. 27, 28, 33 and 34, marked with three notches on E. and 1 notch on S. edges, from which

A Fir, 10 ins. diam., bears N.38\*E., 13 $\frac{1}{2}$  lks. dist., marked T 30 S R 4 W S 27 B T.

A Fir, 26 ins. diam., bears S.75 $\frac{1}{2}$ \*E., 45 $\frac{1}{2}$  lks. dist., marked T 30 S R 4 W S 34 B T.

A Fir, 34 ins. diam., bears S.85\*W., 67 $\frac{1}{4}$  lks. dist., marked T 30 S R 4 W S 33 B T.

A Fir, 14 ins. diam., bears N.26 $\frac{1}{2}$ \*W., 37 $\frac{1}{4}$  lks. dist., marked T 30 S R 4 W S 28 B T.

Land, mountainous. 40.00 chs.

Soil, 3d rate.

Timber, heavy with Fir, Laurel and Maple. 40.00 chs.

Undergrowth, dense with Laurel, Arrow-wood, Vine Maple, Fir and Hazel. 30 chs.