

County Surveyor's Record, Douglas County, Oregon

Subdivisions of T. 30 S., R. 4 W.

CHAINS		
	Thence I run	
	West, on a blank line between Secs. 4 and 33.	
	Var. 19*E.	
	Descend.	-75
14.25	A stream, 1 lk. wide, course SW., ascend.	+50
16.00	Descend.	-90
19.85	A stream, 5 lks. wide, course NW. Ascend.	+700
33.10	Top of ridge, course N. and S. Descend.	-700
39.15	To a point 8 lks. North of the $\frac{1}{4}$ Sec. Cor., which is a post, 3 ins. square, firmly set, marked $\frac{1}{4}$ S on N. face; from which	
	A Fir, 9 ins. diam., bears S.80 $\frac{1}{2}$ *W., 27 lks. dist., marked $\frac{1}{4}$ S B.T.	
	A Fir, 48 ins. diam., bears N.43*W., 21 lks. dist., marked $\frac{1}{4}$ S B T.	
47.90	A stream, 5 lks. wide, course NE., ascend.	+800
70.75	Top of ridge, course N. and S. Descend.	-150
78.10	To a point, 14 lks. South of the Cor. to Secs. 4, 5, 32 and 33. As this is not a Cor. to Secs. 32 and 33 I destroy the marks on the NE. and NW. faces of tree Cor. and also the marks on the witness trees North of this line in T.30 S., R.4 W.	
	Land, mountainous. 78.10 chs.	
	Soil, 3d rate.	
	Timber, heavy with Fir, Laurel, Maple, Cedar and Yew. 78.10 chs.	
	Undergrowth, dense with Vine-maple, Laurel, Huckleberry, Chinquapin and Fir. 75.00 chs.	
	At point of intersection set a stone 20x16x10 ins., 12 ins. in the ground, for closing corner to Secs. 32 and 33 marked C C on N. with 4 notches on E. and 2 notches on W. faces; from which	
	A Fir, 48 ins. diam., bears N.25 $\frac{1}{2}$ *E., 116 lks. dist., marked T 30 S R 4 W S 33 B T.	
	A Fir, 48 ins. diam., bears N.25*W., 105 lks. dist.,	