

Subdivisions T. 30 S., R. 7 W. W. M.

CHAINS

A Fir, 5 ins. diam., bears N.48\*E., 14 lks. dist.

Marked T 29 S R 7 W S 32 B. T.

A Live Oak, 6 ins. diam., bears S.7\*E., 12 lks. dist.

Marked T 30 S R 7 W S 5 B. T.

A Fir, 14 ins. diam., bears S.45\*W., 76 lks. dist.

Marked T 30 S R 7 W S 6 B. T.

A Fir, 46 ins. diam., bears N.44\*W., 56 lks. dist.

Marked T 29 S R 7 W S 31 B. T.

Thence 1 run S 3\*04' W. on true line between secs. 5 and 6. vs 19\* 30'E.

35.76 Set a stone 16 x 12 x 4 ins. 10 ins. in the ground

for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on W face from which

A Fir, 24 ins. diam., bears N.16\*W., 14 lks. dist.

Marked  $\frac{1}{4}$  S B. T.

A Laurel, 5 ins. diam., bears S.24\*E., 50 lks. dist.

Marked  $\frac{1}{4}$  S B. T.

75.76 The cor. to secs. 5, 6, 7 and 8.

Land, mountainous, being mostly along steep rocky E slope.

Soil, 3rd. rate.

Densely covered with forests of Fir, Pine, Laurel and

Cedar.

October 18, 1882.

RETRACEMENT AND SURVEY OF PORTIONS OF THE  
SOUTH AND WEST BOUNDARIES AND SUBDIVISIONAL LINES

in

TOWNSHIP NO. 30 SOUTH, RANGE NO. 7 WEST

as surveyed by Gerald A Sorrels, U. S. Surveyor, under  
special instructions dated March 1, 1917.

Retracement Portion West Bdy., T. 30 S., R. 7 W.

I commence at the cor. of Tps. 30 and 31 S., Rs. 7 and 8  
W., which is located by reference to the bearing trees.  
At the exact cor. point.