

## Retracement and Survey Portion South Bdy., T. 30 S., R. 7 W

## CHAINS

- 38.30 Table Creek, 8 lks. wide, course SE.  
 39.55 Same creek, 8 lks. wide, course NE., ascend.  
 40.00 Top of ascent on N. slope., descend.  
 41.10 Same creek, 8 lks. wide, course S.30\*E., ascend SW. slope.  
 47.20 Top of spur, slopes S., descend.  
 54.60 Creek, 4 lks. wide, course S.20\*W., ascend steep rocky  
 W. slope.  
 57.90 Top of spur, slopes SW., thence along gentle S. slope.  
 62.50 Ravine, course S.15\*W., ascend.  
 63.40 Top of spur, slopes S.15\*W., descend.  
 65.55 Creek, 1 lk. wide, course S<sup>W</sup>., descend steep W. slope.  
 78.30 Trail, bears N. and S.  
 78.70 Top of bluff, 30 ft. high.  
 78.90 Fall 2 lks. S. of the old cor. of secs. 5 and 6, herein  
 after described.

The true course and length of this line from the  $\frac{1}{4}$  sec.  
 cor. is N.89\*58'E., 40.80 chs.

Land, mountainous.

Soil, gravelly red and black loam, 2nd and 3rd. rate.

Timber, heavy fir, live oak, madrona, white oak and  
 black oak.

Undergrowth, live oak, tan oak, fir and arrowwood.

The  $\frac{1}{4}$  sec. cor. bet. secs. 4 and 33 being plainly visible,  
 I run for said cor., N.88\*18'E. on a random line for  
 distance only, and at 118.58 chs. intersect the  $\frac{1}{4}$  cor.  
 of secs. 4 and 33.

I commence at the cor. of secs. 3, 4, 33 and 34, located  
 by reference to the old bearing trees. At the exact  
 cor. point

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in  
 the ground, for cor. of secs. 3, 4, 33 and 34, with  
 brass cap marked