

Retracement Subdivisions, T. 30 S., R 7 W.,

CHAINS

T30S|R7W
 S29|S28
 S32|S33
 1918

from which

A fir, 18 ins. diam., bears N.59*E., 58 lks. dist.
 marked T 30 S R 7 W S 28 B T (Old B.T.)

A fir, 30 ins. diam., bears S.80*E., 24 lks. dist.
 marked T 30 S R 7 W S 33 B T (Old B.T.)

A madrona, 20 ins. diam., bears S.62*W., 45 lks. dist.
 marked T 30 S R 7 W S 32 B T (Old B.T.)

A fir, 30 ins. diam., bears N.7*W., 58 lks. dist.
 marked T 30 S R 7 W S 29 B T (New B.T.)

The true course and length of this line from the $\frac{1}{4}$ sec.
 cor. is S.89*28'W., 40.07 chs.

Land, mountainous.

Soil, red clay loam, 2nd. rate.

Timber, heavy fir, yellow pine and madrona.

Undergrowth, arrowwood, madrona and fir.

West, retracing the line bet. secs. 29 and 32.

Ascend SE. slope, through heavy timber.

.3.50 Top of spur, slopes S., descend.

11.50 Ravine, course S.

17.00 Smith Creek, 3 lks. wide, course SE., ascend steep SE.
 slope.

23.75 Creek, 2 lks. wide, course S.80*E.

34.70 Foot of bluff, 60 ft. high.

35.40 Top of spur, slopes S., thence along broken S. slope.

36.05 Trail, bears N. and S.

38.63 Fell 43 lks. N. of the old $\frac{1}{4}$ sec. cor., located by re-
 ference to the bearing trees. At the exact cor. point
 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor, with brass cap marked