

County Surveyor's Record, Douglas County, Oregon

Retracement subdivisions, T. 30 S., R. 7 W.

CHAINS	<p style="text-align: center;">1829 532 1918</p>
	<p>from which</p> <p style="padding-left: 40px;">A fir, 18 ins. diam., bears N.54*E., 23 lks. dist. marked $\frac{1}{4}$ S 29 B T (Old B.T.)</p> <p style="padding-left: 40px;">A yellow pine, 30 ins. diam., bears S.19*W., 26 lks. dist, marked $\frac{1}{4}$ S 32 B T (Old B.T.)</p> <p>The true course and length of this line is S.89*22'W., 38.63 chs.</p> <p>I continue my retracement West from the $\frac{1}{4}$ sec. cor., counting distance from the sec. cor.</p> <p>43.65 Top of spur, slopes S., leave heavy timber and dense undergrowth, descend SW. slope.</p> <p>60.15 Dry wash, course S., ascend.</p> <p>75.86 Fall 19 lks. N. of the cor. of secs. 29, 30, 31 and 32, previously described.</p> <p>The true course and length of this line from the $\frac{1}{4}$ sec. cor. is S.89*42'W., 37.23 chs.</p> <p>Land, mountainous.</p> <p>Soil, shale and red clay loam, 3rd and 4th rate.</p> <p>Timber, fir, pine, madrona and live oak.</p> <p>Undergrowth, live oak, tan oak, fir and arrowwood.</p>
	<p>South, retracing the line bet. secs. 31 and 32</p> <p>Descend steep SE. slope, through scattering timber and dense undergrowth.</p> <p>12.00 Small ravine, course SE., ascend.</p> <p>16.00 Top of spur, slopes SE., descend steep SE. slope.</p> <p>36.90 Top of spur, slopes S.30*E.</p> <p>39.32 Fall 39 lks. E. of the point for old $\frac{1}{4}$ sec. cor. located by reference to the bearing trees. At the exact cor. point</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor, with brass cap marked</p>