

Retracement Subdivisions, T. 30 S., R. 7 W.

CHAINS

18.00 Foot of steep descent. descend gradually.

39.15 Fall 23 lks. W. of the point for old 1/4 sec. cor. located by reference to the bearing trees. The SW. tree is down. At the exact cor. point

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor, with brass cap marked

S32 | S33
1918

from which

A white fir, 30 ins. diam., bears N.29*E., 14 lks. dist, marked 1/4 S 33 B T (Old B.T.)

A white fir, 24 ins. diam., bears S.61*W., 30 lks. dist. marked 1/4 S 32 B T (New B.T.)

The true course and length of this line is S.0*20'E., 39.15 chs.

I continue my measurement from the 1/4 sec. cor. South, surveying the line bet. secs. 32 and 33.

47.95 Smith Creek, 3 lks. wide, course SE., ascend.

48.90 root of bluffs, bears NW. and SE.

53.55 After diligent search I fail to find any evidence of the old witness cor.

59.65 Top of bluffs, 200 ft. high., continue ascent.

65.75 Summit of ridge, bears NW. and SE., leave timber, descend.

79.20 intersect the cor. of secs. 32 and 33, heretofore described.

Land, level and mountainous.

Soil, gravelly black loam and rock, 3rd and 4th rate.

Timber, fir, yellow pine and live oak.

undergrowth, arrowwood, live oak and fir.